Volume 13
1988
Indexes

TRANSITION METAL CHEMISTRY

An International Journal

Editor-in-Chief

Dr D. R. M. Walton
School of Chemistry and Molecular Sciences
University of Sussex
Brighton BN1 9QJ, UK
Telephone (0273) 678326
Telex 87394 UOS LIBG
Fax (0273) 678335

Associate Editor:
A. Garcia-Leigh (Brighton)

Editorial Board

P. Chiusoli (Parma)
R. J. H. Clark (London)
J. R. Dilworth (Colchester)
R. D. Gillard (Cardiff)
M. Green (London)
M. Green (York)
W. P. Griffith (London)
R. Henderson (Sussex)
M. B. Hursthouse (London)
Y. Jeannin (Paris)
B. F. G. Johnson (Cambridge)
J. A. McCleverty (Birmingham)
L. Markó (Veszprém)
D. M. P. Mingos (Oxford)
U. Schubert (Würzburg)
M. V. Twigg (Billingham)

Published by

Chapman and Hall Ltd.
11 New Fetter Lane
London EC4P 4EE
England

Telephone (01) 583 9855
Telex 263398
Fax GP 2/3 01-583 0701

Note to subscribers

Subscription rates for 1989: UK: £215.00 – USA/Canada: US $390.00 – Elsewhere: £245.00. The subscription rate includes: airmail despatch within Europe; airfreight to New Jersey and 2nd class postage thereafter to USA, Canada and Mexico; and accelerated surface post for most of the rest of the world.

To subscribe, please write to Subscriptions Department, International Thomson Publishing Services Ltd., North Way, Andover, Hampshire, SP10 5BE, UK. (Telephone 0264-332424). Payments may be made by cheque, UK postal order or International money order bank draft, all made payable to Routledge Chapman and Hall Ltd.

© 1989 Chapman and Hall Ltd.
No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing, from the copyright holder.

US Copyright Law Applicable to Users in the USA
The Article Fee Code on the first page of an article in the journal indicates the copyright owner's consent that, in the USA, photocopies may be made for personal or internal use by libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $03.00 per copy, plus $00.12 per page is paid directly to CCC, 21 Congress Street, Salem, MA 01970.

0340-4285/89 $03.00+.12

If a code does not appear copies of the article may be made without charge, provided permission is obtained from the publisher. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works or for resale. Specific written permission must be obtained from the publisher for such copying.

Printed in Great Britain at the University Press, Cambridge

The annual Author and Keyword indexes were prepared by the Chemical Abstracts Service. Accordingly, abbreviations occurring in the index entries are those regularly used in Chemical Abstracts.

Author index

Abdel-Khalek, A. A. Thermodynamics and mechanism of oxidation of aqua(ethylenediaminetetraacetato)chromium(III) in ethanol–water solvents. 35

Abdel-Khalek, A. A. Solvent effect on rate and mechanism of oxidation of chromium(III) by periodate. 340

Agarwala, B. V. Stereochemical changes in anisaldehyde thiosemicarbazone complexes. 187

Agrawal, S. Complexes of 4-hydroxyphenylthiocarboxyhydrazide with iron(II), cobalt(II,III), nickel(II), copper(II) and zinc(II). 233

Ahmad, F. Kinetics and mechanism of hydrolysis of acetamides in metal–ion redox systems. 388

Ahmad, N. Schiff base tantalum(V) complexes. 392

Ahuja, I. S. 4-Cyanoaniline complexes with transition metal(II) halides. 140

Ali, V. Kinetics and mechanism of osmium(VIII)–catalyzed and uncatalyzed oxidation of amino alcohols by chloramine–T in alkaline medium. 135

Ali, V. Kinetics and mechanism of the ruthenium(III)–catalyzed oxidation of amino alcohols by chloramine–T in perchloric acid. 179

Ali–Mohamed, A. Y. Studies on the bacterial activity of cobalt(III) complexes. Part I. Cobalt(III) amine complexes. 434

Al–Khedri, F. M. Studies on the bacterial activity of cobalt(III) complexes. Part I. Cobalt(III) amine complexes. 434

Amira, M. F. Kinetics of aquation of chloropentaamminecobalt(III) perchlorate in ethylene glycol–water media. 201

Ang, K. P. Unsymmetrical bis–Schiff bases derived from ethylenediamine, dehydroacetic acid and another aldehyde/ketone and the preparation and characterization of their copper(II) and nickel(II) complexes. 64

Aramu, F. Moessbauer spectrum of an iron(III) benzoxazole complex. 217

Aramu, F. Iron(III) complexes with benzoxazole derivatives. 426

Arbad, B. R. Formation constants in the ternary systems: copper(II)–dipeptide–amino acids. 238

Arquero, A. Copper(II) and copper(I) complexes of benzenecarbothioamides. 384

Arriortua, M. I. Structure and magnetic properties of the ferromagnetically coupled nickel dimer diaquabis(isocyanato)bis(terpyridine)dinickel(2+) bis(hexafluorophosphate). 371

Ashmawy, F. M. Ion exchangers as catalysts. I. Catalytic decomposition of hydrogen peroxide in presence of Dowex 50 W resin in the form of ethylamine–copper(II) complex ion in aqueous medium. 96

Ashour, S. A. Physical, chemical and biological studies on transition metal complexes of chelating tridentate ligand. 332

Awadallah, R. M. Iron, cobalt and nickel violurate complexes. 250

Babaqi, A. S. Physical, chemical and biological studies on transition metal complexes of chelating tridentate ligand. 332

Babaqi, A. S. Kinetics of aquation of chloropentaamminecobalt(III) perchlorate in ethylene glycol–water media. 201

Baker, P. K. New synthesis and low temperature carbon–13 NMR spectra of some anionic seven–coordinate complexes of molybdenum(II) and tungsten(II) of the type $[NBu_4][MI_2X(CO)_3L]$. 284

Balon, M. Partial molal volumes for iron(II)–diimine complexes in water and in aqueous methanol. 313

Banerjea, D. The intramolecular twist mechanism for racemization of $M(A–A)_2B_2$ complexes. 160

Banerjea, D. Studies on the kinetics and mechanism of dissociation of copper(II) and nickel(II) complexes of the macrocyclic ligand 1,5,9,13–tetraaza–2,4,4,10,12,12–hexamethylcyclohexadecane–1,9–diene in perchloric acid media. 437

Banerjea, D. Kinetic studies on the formation of ternary complexes in the reaction of diaqua(nitrilotriacetato)nickelate(II) and diaqua(anthranilato–N,N'–diacetato)nickelate(II) with amino acids in aqueous solution. 459

Banerjee, P. Solvatochromism and piezochromism of metal → ligand charge–transfer bands of ternary diimine complexes of tungsten(0), molybdenum(0), and iron(II). 107

Bartecki, A. The spectrochemical properties of noncubic transition metal complexes in solutions. Part I. Mixed tetragonal distorted nickel(II) pyridine complexes in chloroform. 224

Basson, S. S. Kinetic study of the reaction between trans–tetracyanodioxomolybdate(IV) and fluoride ions. 209

Basson, S. S. The kinetics and mechanism of the substitution reactions of trans–tetracyanodioxotungstate(IV) ions with monodentate ligands. 336

Battistuzzi, R. Copper(I) complexes of nitrogen–sulfur ligands. 1–Phenyl–4,6–dimethylpyrimidine–2–thione and its protonated form as ligands in copper(I) complexes. Chemical, spectroscopic, conductivity and polarographic studies. 401

Bekheit, M. M. Synthesis and characterization of new metal complexes of thiosemicarbazone derived from 4–phenyl–3–thiosemicarbazide and chromone–3–carboxaldehyde. 230

Bharamgoudar, T. D. Cobalt(II), nickel(II) and copper(II) complexes of bidentate bibenzimidazoles. 423

Bhoon, Y. K. Manganese(II) complexes of substituted thio– and selenosemicarbazones of 2–acetylpyridine: ESR, magnetic and electronic spectral studies. 92

Bhoon, Y. K. Spectral studies of iron(III) complexes of substituted thiosemicarbazones of 2–acetylpyridine. 247

Bhoon, Y. K. Spectroscopic studies on copper(II) complexes derived from a substituted 2–acetylpyridine thiosemicarbazone. 309

Blandamer, M. J. Solvation of transition metal complexes: thermochemical approaches. 1

Blandamer, M. J. Structure and solvation of an encapsulated iron(II) complex derived from cyclohexane–1,2–dione–dihydrazone and formaldehyde. 120

Blandamer, M. J. Kinetics of peroxodisulfate oxidation of octacyanomolybdate(IV) in concentrated aqueous salt solutions. 150

Blandamer, M. J. Partial molal volumes for iron(II)–diimine complexes in water and in aqueous methanol. 313

Bobba, V. M. The kinetics and mechanism of reduction of trans–cyclohexane–1,2–diamine–N,N,N',N'–tetraacetatomanganate(III) by sulfite. 256

Borges, G. Jr. Dimeric hydroxo–bridged adenosine N(1)–oxide complexes with chromium(III) and iron(III) perchlorates. 398

Brintzinger, H. H. Aqueous–phase synthesis of di(η^5–cyclopentadienyl)salicylato– and di(η^5–cyclopentadienyl)phthalatotitanium(IV) complexes. 272

Brisdon, B. J. Metalation studies of organofunctional trisiloxanes. 303

Bunting, R. K. Metal ion complexes of 2–picolinamine N–oxide. 29

Bunting, R. K. Synthesis and spectroscopic studies of metal(II) complexes prepared with N–2–(5–picolyl)–N'–phenylthiourea. 53

Burgess, J. Solvation of transition metal complexes: thermochemical approaches. 1

Burgess, J. Solvatochromism and piezochromism of metal → ligand charge–transfer bands of ternary diimine complexes of tungsten(0), molybdenum(0), and iron(II). 107

Burgess, J. Structure and solvation of an encapsulated iron(II) complex derived from cyclohexane–1,2–dione–dihydrazone and formaldehyde. 120

Burgess, J. Solvent and pressure effects on the kinetics of reaction of manganese pentacarbonyl bromide with 2,2'–bipyridyl and on the charge–transfer spectrum of $MnBr(bipy)(CO)_3$. 126

Burgess, J. Kinetics of peroxodisulfate oxidation of octacyanomolybdate(IV) in concentrated aqueous salt solutions. 150

Burgess, J. Partial molal volumes for iron(II)–diimine complexes in water and in aqueous methanol. 313

Canaviri, E. C. Kinetics of complexation of nickel(II) by DL–isocitric acid. 443

Capparelli, A. L. Kinetics of complexation of nickel(II) by DL–isocitric acid. 443

Carty, P. Iron(II) complexes of imidazoline–2–thiones: the crystal structure of dichlorobis(1–methylimidazoline–2–thione)iron(II). 356

Case, D. A. Transition metal ion complexes of thiosemicarbazones derived from 2–acetylpyridine. Part 4. The 3–piperidinyl derivative. 415

Castro, I. Study of the interaction of (2,2'–bipyridine)copper(2+) with oxalate and squarate in aqueous solution. 455

Chadha, S. L. Bis(2,2,2–trichloroethoxo)cobalt(II) and chloro(2,2,2–trichloroethoxo)cobalt(II): synthesis and coordination chemistry. 219

Chakravortty, V. Tetrameric zirconium(IV) compounds derived from oxozirconium(IV) chloride and heterocyclic aldimines and ketimines. 287

Chaudhuri, N. R. Thermally induced isomerization and decomposition of diethylenetriamine complexes of nickel(II) in the solid state. 291

Chauhan, V. Ruthenium complexes containing aromatic thioamides. 440

Chen, R. Y. Molecular structure and bonding properties of bis(1–methylimidazole)bis(perchlorato)bis(pyridine N–oxide)copper(II). 375

Choudhury, K. Nitrogen–sulfur and nitrogen–sulfur–oxygen–donor ligands and their metal complexes. Synthesis and characterization of a new low–spin iron(III) complex with 1,2–di(o–aminophenylthio)ethane and iron(III), cobalt(III) and manganese(III) complexes of 1,2–di(o–salicylaldiminophenylthio)ethane. 58

Clegg, W. Iron(II) complexes of imidazoline–2–thiones: the crystal structure of dichlorobis(1–methylimidazoline–2–thione)iron(II). 356

Constable, E. C. Ligand reactivity in coordination compounds; a molecular orbital investigation of the quaternization–coordination analogy. 19

Cortes, R. Structure and magnetic properties of the ferromagnetically coupled nickel dimer diaquabis(isocyanato)bis(terpyridine)dinickel(2+) bis(hexafluorophosphate). 371

Costes, J. P. Oxovanadium(IV) complexes of tetradentate unsymmetrical Schiff bases derived from 7–amino–4–methyl–5–aza–3–hepten–2–one 131

Creighton, J. R. Iron(II) complexes of imidazoline–2–thiones: the crystal structure of dichlorobis(1–methylimidazoline–2–thione)iron(II). 356

Czerwonka, J. Motion of cations and phase situation in solid tetrabutylammonium octacyanomolybdate(V). 190

Dallocchio, R. Metal–cinnamic acids interactions. Part III. Synthesis and study of copper(II) complexes of 3,4– and 3,5–dimethoxycinnamic acid. 176

Daniele, P. G. Mixed metal complexes in solution. Thermodynamic and spectrophotometric study of copper(II)–citrate heterobinuclear complexes with nickel(II), zinc(II) or cadmium(II) in aqueous solution. 87

Das, A. K. Kinetic studies on the formation of ternary complexes in the reaction of diaqua(nitrilotriacetato)nickelate(II) and diaqua(anthranilato–N,N'–diacetato)nickelate(II) with amino acids in aqueous solution. 459

Das, A. K. Studies on the kinetics and mechanism of dissociation of copper(II) and nickel(II) complexes of the macrocyclic ligand 1,5,9,13–tetraaza–2,4,4,10,12,12–hexamethylcyclohexadecane–1,9–diene in perchloric acid media. 437

Das, S. Kinetics and mechanism of the oxidation of thiosulfate by hexachloroplatinate(IV). 155

Das, S. Kinetics of the oxidation of sulfite by tetrachloroaurate(III). 261

Das, S. Coordination modes of 1–allylbenzotriazole: synthesis and characterization of cobalt(II), nickel(II), copper(II), copper(I) and silver(I) complexes. 328

Dasgupta, M. Kinetics of reduction of transition metal ions by sodium tetrahydroborate. Reduction of molybdenum(VI) and tungsten(VI). 42

Das Gupta, M. Kinetics of reduction of vanadium(V) by sodium tetrahydroborate. 264

Dash, K. C. Tetrameric zirconium(IV) compounds derived from oxozirconium(IV) chloride and heterocyclic aldimines and ketimines. 287

De, G. S. Mechanistic studies on the reactions of pentaaquahydroxochromium(III) ion with 2,2'–bipyridine and 1,10–phenanthroline. 196

De Franco, N. Dimeric hydroxo–bridged adenosine N(1)–oxide complexes with chromium(III) and iron(III) perchlorates. 398

Delunas, A. Moessbauer spectrum of an iron(III) benzoxazole complex. 217

Delunas, A. Iron(III) complexes with benzoxazole derivatives. 426

De Robertis, A. Mixed metal complexes in solution. Thermodynamic and spectrophotometric study of copper(II)–citrate heterobinuclear complexes with nickel(II), zinc(II) or cadmium(II) in aqueous solution. 87

Dey, K. Nitrogen–sulfur and nitrogen–sulfur–oxygen–donor ligands and their metal complexes. Synthesis and characterization of a new low–spin iron(III) complex with 1,2–di(o–aminophenylthio)ethane and iron(III), cobalt(III) and manganese(III) complexes of 1,2–di(o–salicylaldimino–phenylthio)ethane. 58

Dikshit, S. K. Ruthenium complexes containing aromatic thioamides. 440

Dillen, J. L. M. Metallocyclic carbene complexes of chromium(0). The crystal and molecular structure of a chromium(0) complex with an aminoarylcarbene chelating ligand. 170

Dixit, R. Mixed ligand complexes of manganese(III) with dithiocarbamate and glycine/acetylacetone ligands: magnetic, spectral and thermal studies. 351

El–Asmy, A. A. Electrical conductivity, spectral and magnetic properties of some transition metal complexes derived from dimedone bis(4–phenylthiosemicarbazone). 143

El-Asmy, A. A. Physical, chemical and biological studies on transition metal complexes of chelating tridentate ligand. 332

ElMaghraby, M. A. Iron, cobalt and nickel violurate complexes. 250

Elsemongy, M. M. Thermodynamics and mechanism of oxidation of aqua(ethylenediaminetetraacetato)chromium(III) in ethanol–water solvents. 35

Elsemongy, M. M. Solvent effect on rate and mechanism of oxidation of chromium(III) by periodate. 340

El-Sheikh, M. Y. Ion exchangers as catalysts. I. Catalytic decomposition of hydrogen peroxide in presence of Dowex 50 W resin in the form of ethylamine–copper(II) complex ion in aqueous medium. 96

Erre, L. S. Metal complexes of 2-(2'- or 8'-quinolyl)benzimidazoles and benzothiazoles. 116

Faus, J. Study of the interaction of (2,2'-bipyridine)copper(2+) with oxalate and squarate in aqueous solution. 455

Fawcett, J. Structure and solvation of an encapsulated iron(II) complex derived from cyclohexane–1,2–dione–dihydrazone and formaldehyde. 120

Feliz, M. R. Kinetics of complexation of nickel(II) by DL–isocitric acid. 443

Fernandez-Garcia, M. I. Oxovanadium(IV) complexes of tetradentate unsymmetrical Schiff bases derived from 7–amino–4–methyl–5–aza–3–hepten–2–one. 131

Fraser, S. G. New synthesis and low temperature carbon–13 NMR spectra of some anionic seven–coordinate complexes of molybdenum(II) and tungsten(II) of the type $[NBu_4][MI_2X(CO)_3L]$. 284

Gahan, L. R. Synthesis and structures of copper(II) and nickel(II) complexes of 1,8–diaza–4–thiaoctane. Characterization of a novel polymeric trigonal bipyramidal copper(II) complex containing both bridging and meridionally coordinated ligands. 72

Galloway, D. S. Transition metal ion complexes of thiosemicarbazones derived from 2–acetylpyridine. Part 3. The 3–hexamethyleneimine derivative. 410

Galloway, D. S. Transition metal ion complexes of thiosemicarbazones derived from 2–acetylpyridine. Part 4. The 3–piperidinyl derivative. 415

Gangopadhyay, S. Studies on the kinetics and mechanism of dissociation of copper(II) and nickel(II) complexes of the macrocyclic ligand 1,5,9,13–tetraaza–2,4,4,10,12,12–hexamethylcyclohexadecane–1,9–diene in perchloric acid media. 437

Garcia-Onrubia, A. Copper(II) and copper(I) complexes of benzenecarbothioamides. 384

Garg, A. Coordination behavior of azines towards iron(II), palladium(II) and platinum(II). 395

Garg, B. S. Manganese(II) complexes of substituted thio– and selenosemicarbazones of 2–acetylpyridine: ESR, magnetic and electronic spectral studies. 92

Garg, B. S. Spectral studies of iron(III) complexes of substituted thiosemicarbazones of 2–acetylpyridine. 247

Garg, B. S. Spectroscopic studies on copper(II) complexes derived from a substituted 2–acetylpyridine thiosemicarbazone. 309

Garg, B. S. Mixed ligand complexes of manganese(III) with dithiocarbamate and glycine/acetylacetone ligands: magnetic, spectral and thermal studies. 351

Gautam, V. K. Synthesis, characterization and structural assessment of nitrato, chloro, bromo, perchlorato, thiocyanato and sulfato mono(benzoin thiosemicarbazonato)copper(II) complexes. 212

Gemeay, A. H. Ion exchangers as catalysts. I. Catalytic decomposition of hydrogen peroxide in presence of Dowex 50 W resin in the form of ethylamine–copper(II) complex ion in aqueous medium. 96

Ghose, A. K. Transition metal complexes of 5–chlorouracil. 50

Ghose, A. K. Simple and mixed complexes of cobalt(II) and cobalt(III) ions. 447

Ghose, R. Transition metal complexes of 5–chlorouracil. 50

Ghose, R. Simple and mixed complexes of cobalt(II) and cobalt(III) ions. 447

Ghosh, A. Thermally induced isomerization and decomposition of diethylenetriamine complexes of nickel(II) in the solid state. 291

Giraudi, G. The kinetics and mechanism of reduction of trans–cyclohexane–1,2–diamine–N,N,N',N'–tetraacetatomanganate(III) by sulfite. 256

Goslar, J. Chemical properties, magnetic and ESR studies of pyrazole copper(II) complexes. 81

Graciani, M. M. Kinetics of peroxodisulfate oxidation of octacyanomolybdate(IV) in concentrated aqueous salt solutions. 150

Guardado, P. Solvent and pressure effects on the kinetics of reaction of manganese pentacarbonyl bromide with 2,2'–bipyridyl and on the charge–transfer spectrum of $MnBr(bipy)(CO)_3$. 126

Guardado, P. Partial molal volumes for iron(II)–diimine complexes in water and in aqueous methanol. 313

Gupta, N. Multidentate ligand exchange kinetics: substitutions of ethylenediaminetetraacetate and triethylenetetraaminehexaacetate anions with iminodiacetatopalladium(II). 361

Gupta, N. Kinetics and mechanism of the reaction between bis[4–(2–pyridylazo)resorcinolato]ferrate(III) complex and cyanide ion. 367

Gupta, S. Kinetics and mechanism of osmium(VIII)–catalyzed and uncatalyzed oxidation of amino alcohols by chloramine–T in alkaline medium. 135

Gupta, S. Kinetics and mechanism of the ruthenium(III)–catalyzed oxidation of amino alcohols by chloramine–T in perchloric acid. 179

Gutierrez-Valero, M. D. Study of the complex formation between 4,6–diamino–1,2–dihydro–2–thiopyrimidine and cobalt(II), cobalt(III), nickel(II) and copper(II) ions. 451

Habib, A. F. M. Ion exchangers as catalysts. I. Catalytic decomposition of hydrogen peroxide in presence of Dowex 50 W resin in the form of ethylamine–copper(II) complex ion in aqueous medium. 96

Halepoto, D. M. Magnetic and spectroscopic properties of benzylammonium tetrahalogenochromates(II) containing mixed halides (chloride and bromide). 104

Hambley, T. W. Synthesis and structures of copper(II) and nickel(II) complexes of 1,8–diaza–4–thiaoctane. Characterization of a novel polymeric trigonal bipyramidal copper(II) complex containing both bridging and meridionally coordinated ligands. 72

Henderson, R. A. Dihydrogen complexes of the transition metals. 474

Hines, J. L. Transition metal ion complexes of thiosemicarbazones derived from 2–acetylpyridine. Part 5. The ^{4}N–cyclohexyl derivative. 467

Hodorowicz, S. Motion of cations and phase situation in solid tetrabutylammonium octacyanomolybdate(V). 190

Housecroft, C. E. Ligand reactivity in coordination compounds; a molecular orbital investigation of the quaternization–coordination analogy. 19

Huza-Koralewicz, M. Stability and structure of copper(II)–L–histidinehydroxamic acid complexes. 297

Ibrahim, K. M. Synthesis and characterization of new metal complexes of thiosemicarbazone derived from 4–phenyl–3–thiosemicarbazide and chromone–3–carboxaldehyde. 230

Ismail, A. M. The influence of solvent structure on the solvolysis of trans–dichlorotetrakis(4–ethylpyridine)cobalt(III) perchlorate. 193

Jahagirdar, D. V. Formation constants in the ternary systems: copper(II)–dipeptide–amino acids. 238

Jain, S. K. Manganese(II) complexes of substituted thio– and selenosemicarbazones of 2–acetylpyridine: ESR, magnetic and electronic spectral studies. 92

Jain, S. K. Spectral studies of iron(III) complexes of substituted thiosemicarbazones of 2–acetylpyridine. 247

Jain, S. K. Spectroscopic studies on copper(II) complexes derived from a substituted 2–acetylpyridine thiosemicarbazone. 309

Jaria, M. Reactions of N–(trimethylsilyl)imidazole and –2–methylimidazole with anhydrous cobalt dichloride and dichlorobis(triphenylphosphine)cobalt; synthesis and physicochemical studies on two–coordinate cobalt(II) complexes. 244

Jaria, M. Reactivity of N–(trimethylsilyl)imidazole and 2–methylimidazole; synthesis and physicochemical studies on transition metal imidazolates and mixed ligand imidazolates. 317

Jezierska, J. Stability and structure of copper(II)–L–histidinehydroxamic acid complexes. 297

Jimenez, R. Kinetics of peroxodisulfate oxidation of octacyanomolybdate(IV) in concentrated aqueous salt solutions. 150

Julve, M. Study of the interaction of (2,2'–bipyridine)copper(2+) with oxalate and squarate in aqueous solution. 455

Kanas, A. Motion of cations and phase situation in solid tetrabutylammonium octacyanomolybdate(V). 190

Kanoongo, N. Synthesis and characterization of dioxomolybdenum complexes of semicarbazones 343

Karayannis, N. M. Dimeric hydroxo–bridged adenosine N(1)–oxide complexes with chromium(III) and iron(III) perchlorates. 398

Kelly, P. F. TMC literature highlights – 19. Complexes with sulfur–nitrogen ligands. 77

Khairy, E. M. Hydrolysis of α–amino acid esters in ternary complexes of copper(II) involving glycyl–DL–valine. 146

Khairy, E. M. Ternary complexes of copper(II) involving diethylenetriamine and their role in the promotion of hydrolysis of α–amino acid esters. 379

Khan, B. U. Schiff base tantalum(V) complexes. 392

Koner, S. Thermally induced isomerization and decomposition of diethylenetriamine complexes of nickel(II) in the solid state. 291

Kroczewska, D. Stability and structure of copper(II)–L–histidinehydroxamic acid complexes. 297

Kumar, S. Kinetics and mechanism of hydrolysis of acetamides in metal–ion redox systems. 388

Kurup, M. R. P. Manganese(II) complexes of substituted thio– and selenosemicarbazones of 2–acetylpyridine: ESR, magnetic and electronic spectral studies. 92

Kurup, M. R. P. Spectral studies of iron(III) complexes of substituted thiosemicarbazones of 2–acetylpyridine. 247

Kurup, M. R. P. Spectroscopic studies on copper(II) complexes derived from a substituted 2–acetylpyridine thiosemicarbazone. 309

Kurzak, B. Stability and structure of copper(II)–L–histidinehydroxamic acid complexes. 297

Kurzak, K. The spectrochemical properties of noncubic transition metal complexes in solutions. Part I. Mixed tetragonal distorted nickel(II) pyridine complexes in chloroform. 224

Lal, R. A. Synthesis, characterization and structural assessment of nitrato, chloro, bromo, perchlorato, thiocyanato and sulfato mono(benzoin thiosemicarbazonato)copper(II) complexes. 212

Lanka, D. S. A. Kinetics and mechanism of oxidation of tellurium(IV) by cobalt(III) in perchloric acid. 39

Larkworthy, L. F. Magnetic and spectroscopic properties of benzylammonium tetrahalogenochromates(II) containing mixed halides (chloride and bromide). 104

Leipoldt, J. G. Kinetic study of the reaction between trans–tetracyanodioxomolybdate(IV) and fluoride ions. 209

Leipoldt, J. G. The kinetics and mechanism of the substitution reactions of trans–tetracyanodioxotungstate(IV) ions with monodentate ligands. 336

Lewis, N. C. Transition metal ion complexes of thiosemicarbazones derived from 2–acetylpyridine. Part 2. The ^{4}N–dimethyl derivative. 277

Lezama, L. Structure and magnetic properties of the ferromagnetically coupled nickel dimer diaquabis(isocyanato)bis(terpyridine)dinickel(2+) bis(hexafluorophosphate). 371

Liu, J. α– and β–Triferriconatungstosilicate isomers. 183

Lopez-Garzon, R. Study of the complex formation between 4,6–diamino–1,2–dihydro–2–thiopyrimidine and cobalt(II), cobalt(III), nickel(II) and copper(II) ions. 451

Lotz, S. Metallocyclic carbene complexes of chromium(0). The crystal and molecular structure of a chromium(0) complex with an aminoarylcarbene chelating ligand. 170

Maestre, A. Partial molal volumes for iron(II)–diimine complexes in water and in aqueous methanol. 313

Mahanti, M. K. Kinetics of reduction of transition metal ions by sodium tetrahydroborate. Reduction of molybdenum(VI) and tungsten(VI). 42

Mahanti, M. K. Kinetics of reduction of vanadium(V) by sodium tetrahydroborate. 264

Marko, L. Catalytic transfer hydrogenation of aromatic nitro compounds in the presence of nickel thiolato–complexes. 221

Masaguer, J. R. Copper(II) and copper(I) complexes of benzenecarbothioamides. 384

Masoud, M. S. Structural studies of 3–amino–4–(substituted arylazo)–5–(1H)pyrazolone compounds. 253

Masoud, M. S. Synthesis and characterization of 5–(arylazo)thiobarbituric acids and their complexes. 321

Massacesi, M. Metal complexes of 2-(2'- or 8'-quinolyl)benzimidazoles and benzothiazoles. 116

Massoud, S. S. Kinetics of aquation of chloropentaamminecobalt(III) perchlorate in ethylene glycol–water media. 201

Maxia, V. Moessbauer spectrum of an iron(III) benzoxazole complex. 217

Maxia, V. Iron(III) complexes with benzoxazole derivatives. 426

Meirim, M. G. Aqueous–phase synthesis of di(η^5–cyclopentadienyl)salicylato– and di(η^5–cyclopentadienyl)phthalatotitanium(IV) complexes. 272

Mentasti, E. The kinetics and mechanism of reduction of trans–cyclohexane–1,2–diamine–N,N,N',N'–tetraacetatomanganate(III) by sulfite. 256

Meriggio, F. Preparation and properties of cationic trimethyl phosphite rhodium(I) complexes with arene ligands. 25

Mesa, J. L. Structure and magnetic properties of the ferromagnetically coupled nickel dimer diaquabis(isocyanato)bis(terpyridine)dinickel(2+) bis(hexafluorophosphate). 371

Mianowska, B. Iron, cobalt and nickel complexes of pyridines. 161

Micera, G. Metal complexes of 2-(2'- or 8'-quinolyl)benzimidazoles and benzothiazoles. 116

Mikulski, C. M. Dimeric hydroxo–bridged adenosine N(1)–oxide complexes with chromium(III) and iron(III) perchlorates. 398

Miller, A. Iron(II) complexes of imidazoline–2–thiones: the crystal structure of dichlorobis(1–methylimidazoline–2–thione)iron(II). 356

Minutella, R. Dimeric hydroxo–bridged adenosine N(1)–oxide complexes with chromium(III) and iron(III) perchlorates. 398

Mishra, P. The kinetics and mechanism of reaction between [ethylenediaminetetraaceto]manganate(III) and cyanide ion. 267

Mohamed, A. E. Iron, cobalt and nickel violurate complexes. 250

Mohamed, M. T. Kinetics of aquation of chloropentaamminecobalt(III) perchlorate in ethylene glycol–water media. 201

Moss, J. R. Di– and tri–nuclear osmium carbonyl chloride complexes: x–ray structures of octacarbonyldichlorodiosmium and dodecacarbonyldichlorotriosmium. 429

Mostafa, M. A. Structural studies of 3–amino–4–(substituted arylazo)–5–(1H)pyrazolone compounds. 253

Mounir, M. Electrical conductivity, spectral and magnetic properties of some transition metal complexes derived from dimedone bis(4-phenylthiosemicarbazone). 143
Mounir, M. Physical, chemical and biological studies on transition metal complexes of chelating tridentate ligand. 332
Moya, M. L. Kinetics of peroxodisulfate oxidation of octacyanomolybdate(IV) in concentrated aqueous salt solutions. 150
Mrozinski, J. Chemical properties, magnetic and ESR studies of pyrazole copper(II) complexes. 81
Mukherjee, G. Nitrogen–sulfur and nitrogen–sulfur–oxygen–donor ligands and their metal complexes. Synthesis and characterization of a new low–spin iron(III) complex with 1,2–di(o–aminophenylthio)ethane and iron(III), cobalt(III) and manganese(III) complexes of 1,2–di(o–salicylaldiminophenylthio)ethane. 58
Mustofy, H. G. M. Mechanistic studies on the reactions of pentaaquahydroxochromium(III) ion with 2,2'–bipyridine and 1,10–phenanthroline. 196
Nadimpalli, S. Kinetics and mechanism of oxidation of tellurium(IV) by cobalt(III) in perchloric acid. 39
Naik, R. M. The kinetics and mechanism of reaction between [ethylenediaminetetraaceto]manganate(III) and cyanide ion. 267
Narang, K. K. Synthesis, characterization and structural assessment of nitrato, chloro, bromo, perchlorato, thiocyanato and sulfato mono(benzoin thiosemicarbazonato)copper(II) complexes. 212
Nasarre, M. J. Kinetics of peroxodisulfate oxidation of octacyanomolybdate(IV) in concentrated aqueous salt solutions. 150
Neuse, E. W. Aqueous–phase synthesis of di(η^5–cyclopentadienyl)salicylato– and di(η^5–cyclopentadienyl)phthalatotitanium(IV) complexes. 272
Nigam, P. C. The kinetics and mechanism of reaction between [ethylenediaminetetraaceto]manganate(III) and cyanide ion. 267
Nigam, P. C. Multidentate ligand exchange kinetics: substitutions of ethylenediaminetetraacetate and triethylenetetraaminehexaacetate anions with iminodiacetatopalladium(II). 361
Nigam, P. C. Kinetics and mechanism of the reaction between bis[4–(2–pyridylazo)resorcinolato]ferrate(III) complex and cyanide ion. 367
Niven, M. L. Di– and tri–nuclear osmium carbonyl chloride complexes: x–ray structures of octacarbonyldichlorodiosmium and dodecacarbonyldichlorotriosmium. 429
Ostacoli, G. Mixed metal complexes in solution. Thermodynamic and spectrophotometric study of copper(II)–citrate heterobinuclear complexes with nickel(II), zinc(II) or cadmium(II) in aqueous solution. 87
Palta, N. Polynuclear trivalent metal complexes with phosphonic acids. 281
Panda, C. R. Tetrameric zirconium(IV) compounds derived from oxozirconium(IV) chloride and heterocyclic aldimines and ketimines. 287
Pannell, L. K. Cobalt(II) complexes of the 2–amiopicoline N–oxides and 2–amino–4,6–lutidine N–oxide. 45
Peng, J. α– and β–Triferricononatungstosilicate isomers. 183
Phillipps, R. G. Metalation studies of organofunctional trisiloxanes. 303
Pinna, R. Metal complexes of 2–(2'– or 8'–quinolyl)benzimidazoles and benzothiazoles. 116
Pinna, R. Moessbauer spectrum of an iron(III) benzoxazole complex. 217
Pinna, R. Iron(III) complexes with benzoxazole derivatives. 426
Poddar, S. N. Nitrogen–sulfur and nitrogen–sulfur–oxygen–donor ligands and their metal complexes. Synthesis and characterization of a new low–spin iron(III) complex with 1,2–di(o–aminophenylthio)ethane and iron(III), cobalt(III) and manganese(III) complexes of 1,2–di(o–salicylaldiminophenylthio)ethane. 58
Pondit, A. K. Kinetic studies on the formation of ternary complexes in the reaction of diaqua(nitrilotriacetato)nickelate(II) and diaqua(anthranilato–N,N'–diacetato)nickelate(II) with amino acids in aqueous solution. 459
Pondit, A. K. Studies on the kinetics and mechanism of dissociation of copper(II) and nickel(II) complexes of the macrocyclic ligand 1,5,9,13–tetraaza–2,4,4,10,12,12–hexamethylcyclohexadecane–1,9–diene in perchloric acid media. 437
Ponticelli, G. Moessbauer spectrum of an iron(III) benzoxazole complex. 217
Ponticelli, G. Iron(III) complexes with benzoxazole derivatives. 426
Potgieter, I. M. Kinetic study of the reaction between trans–tetracyanodioxomolybdate(IV) and fluoride ions. 209
Potgieter, I. M. The kinetics and mechanism of the substitution reactions of trans–tetracyanodioxotungstate(IV) ions with monodentate ligands 336
Profilet, R. D. Metal ion complexes of 2–picolinamine N–oxide. 29
Profilet, R. D. Transition metal ion complexes of thiosemicarbazones derived from 2–acetylpyridine. Part 5. The ^{4}N–cyclohexyl derivative. 467
Pruchnik, F. P. Carbonylrhodium complexes with pyridylphosphines: [Rh(chel)(CO)(PPh_xpyl_{3-x})]. 22
Pruchnik, F. P. Rhodium carbonyl complexes of the trans–[RhCl(CO)(PR_3)$_2$] type with pyridylphosphines. 101
Pujar, M. A. Cobalt(II), nickel(II) and copper(II) complexes of bidentate bibenzimidazoles. 423
Puri, D. M. Polynuclear trivalent metal complexes with phosphonic acids. 281
Qidwai, S. N. Reactions of N–(trimethylsilyl)imidazole and –2–methylimidazole with anhydrous cobalt dichloride and dichlorobis(triphenylphosphine)cobalt; synthesis and physicochemical studies on two–coordinate cobalt(II) complexes. 244
Qidwai, S. N. Reactivity of N–(trimethylsilyl)imidazole and 2–methylimidazole; synthesis and physicochemical studies on transition metal imidazolates and mixed ligand imidazolates. 317
Qu, L. α– and β–Triferricononatungstosilicate isomers. 183
Radulovic, S. Structure and solvation of an encapsulated iron(II) complex derived from cyclohexane–1,2–dione–dihydrazone and formaldehyde. 120
Rahman, M. U. Schiff base tantalum(V) complexes. 392
Rallabandi, R. Kinetics and mechanism of oxidation of tellurium(IV) by cobalt(III) in perchloric acid. 39
Ramadan, A. M. Iron, cobalt and nickel violurate complexes. 250
Rao, B. V. Polynuclear trivalent metal complexes with phosphonic acids. 281
Rao, P. J. Kinetics and mechanism of osmium(VIII)–catalyzed oxidation of phosphite by diperiodatoargentate(III) in alkaline medium. 113
Rao, T. N. Kinetics and mechanism of osmium(VIII)–catalyzed oxidation of phosphite by diperiodatoargentate(III) in alkaline medium. 113
Raper, E. S. Iron(II) complexes of imidazoline–2–thiones: the crystal structure of dichlorobis(1–methylimidazoline–2–thione)iron(II). 356
Razak bin Ali Solvatochromism and piezochromism of metal → ligand charge–transfer bands of ternary diimine complexes of tungsten(0), molybdenum(0), and iron(II). 107
Razak bin Ali Solvent and pressure effects on the kinetics of reaction of manganese pentacarbonyl bromide with 2,2'–bipyridyl and on the charge–transfer spectrum of MnBr(bipy)(CO)$_3$. 126
Reddy, P. S. N. Stereochemical changes in anisaldehyde thiosemicarbazone complexes. 187
Renn, A. Dimeric hydroxo–bridged adenosine N(1)–oxide complexes with chromium(III) and iron(III) perchlorates. 398
Rhemtula, M. Aqueous–phase synthesis of di(η^5–cyclopentadienyl)salicylato– and di(η^5–cyclopentadienyl)phthalatotitanium(IV) complexes. 272
Rojo, T. Structure and magnetic properties of the ferromagnetically coupled nickel dimer diaqua bis(isocyanato)bis(terpyridine)dinickel(2+) bis(hexafluorophosphate). 371
Romero–Molina, M. A. Study of the complex formation between 4,6–diamino–1,2–dihydro–2–thiopyrimidine and cobalt(II), cobalt(III), nickel(II) and copper(II) ions. 451
Roodt, A. Kinetic study of the reaction between trans–tetracyanodioxomolybdate(IV) and fluoride ions. 209
Roodt, A. The kinetics and mechanism of the substitution reactions of trans–tetracyanodioxotungstate(IV) ions with monodentate ligands. 336
Russell, D. R. Structure and solvation of an encapsulated iron(II) complex derived from cyclohexane–1,2–dione–dihydrazone and formaldehyde. 120
Sabir, S. Kinetics and mechanism of hydrolysis of acetamides in metal–ion redox systems. 388
Saeed, A. Hydrolysis of α–amino acid esters in ternary complexes of copper(II) involving glycyl–DL–valine. 146
Saeed, A. Ternary complexes of copper(II) involving diethylenetriamine and their role in the promotion of hydrolysis of α–amino acid esters. 379
Sagnowski, S. Motion of cations and phase situation in solid tetrabutylammonium octacyanomolybdate(V). 190
Saha, A. V. Lowervalent hexaniobate cluster in aqueous HCl: an equilibrium redox study. 472
Saha, N. Coordination modes of 1–allylbenzotriazole: synthesis and characterization of cobalt(II), nickel(II), copper(II), copper(I) and silver(I) complexes. 328
Salas–Peregrin, J. M. Study of the complex formation between 4,6–diamino–1,2–dihydro–2–thiopyrimidine and cobalt(II), cobalt(III), nickel(II) and copper(II) ions. 451
Sammartano, S. Mixed metal complexes in solution. Thermodynamic and spectrophotometric study of copper(II)–citrate heterobinuclear complexes with nickel(II), zinc(II) or cadmium(II) in aqueous solution. 87
Samotus, A. A novel cyano complex of tungsten(IV) with 2,2'–bipyridyl. 69
Samotus, A. Motion of cations and phase situation in solid tetrabutylammonium octacyanomolybdate(V). 190
Sanchez, F. Kinetics of peroxodisulfate oxidation of octacyanomolybdate(IV) in concentrated aqueous salt solutions. 150
Sarala, G. Kinetics and mechanism of osmium(VIII)–catalyzed oxidation of phosphite by diperiodatoargentate(III) in alkaline medium. 113
Sastry, M. S. Simple and mixed complexes of cobalt(II) and cobalt(III) ions. 447
Sathyanarayana, D. N. Cobalt(II), nickel(II) and copper(II) complexes of bidentate bibenzimidazoles. 423
Savarino, P. Metal complexes of 2–(2'– or 8'–quinolyl)benzimidazoles and benzothiazoles. 116
Schmitt, S. Aqueous–phase synthesis of di(η^5–cyclopentadienyl)salicylato– and di(η^5–cyclopentadienyl)phthalatotitanium(IV) complexes. 272
Scotti, M. Preparation and properties of cationic trimethyl phosphite rhodium(I) complexes with arene ligands. 25
Sczaniecki, P. B. Chemical properties, magnetic and ESR studies of pyrazole copper(II) complexes. 81
Sen Gupta, K. K. Kinetics and mechanism of the oxidation of thiosulfate by hexachloroplatinate(IV). 155
Sen Gupta, K. K. Kinetics of the oxidation of sulfite by tetrachloroaurate(III). 261
Sen Gupta, S. Kinetics and mechanism of the oxidation of thiosulfate by hexachloroplatinate(IV). 155
Sen Gupta, S. Kinetics of the oxidation of sulfite by tetrachloroaurate(III). 261
Sethuram, B. Kinetics and mechanism of osmium(VIII)–catalyzed oxidation of phosphite by diperiodatoargentate(III) in alkaline medium. 113
Severns, J. C. Metal ion complexes of 2–picolinamine N–oxide. 29
Severns, J. C. Cobalt(II) complexes of the 2–amiopicoline N–oxides and 2–amino–4,6–lutidine N–oxide. 45
Shaibi, Y. M. Physical, chemical and biological studies on transition metal complexes of chelating tridentate ligand. 332
Shakir, M. Reactions of N–(trimethylsilyl)imidazole and –2–methylimidazole with anhydrous cobalt dichloride and dichlorobis(triphenylphosphine)cobalt; synthesis and physicochemical studies on two–coordinate cobalt(II) complexes. 244
Shakir, M. Reactivity of N–(trimethylsilyl)imidazole and 2–methylimidazole; synthesis and physicochemical studies on transition metal imidazolates and mixed ligand imidazolates. 317
Sharma, N. D. Polynuclear trivalent metal complexes with phosphonic acids. 281
Sharma, U. Complexes of 4–hydroxyphenylthiocarboxyhydrazide with iron(II), cobalt(II,III), nickel(II), copper(II) and zinc(II). 233
Sharma, V. Bis(2,2,2–trichloroethoxo)cobalt(II) and chloro(2,2,2–trichloroethoxo)cobalt(II): synthesis and coordination chemistry. 219
Shoukry, M. M. Hydrolysis of α–amino acid esters in ternary complexes of copper(II) involving glycyl–DL–valine. 146
Shoukry, M. M. Ternary complexes of copper(II) involving diethylenetriamine and their role in the promotion of hydrolysis of α–amino acid esters. 379
Sidahmed, I. M. The influence of solvent structure on the solvolysis of trans–dichlorotetrakis(4–ethylpyridine)cobalt(III) perchlorate. 193
Siddiqi, Z. A. Reactions of N–(trimethylsilyl)imidazole and –2–methylimidazole with anhydrous cobalt dichloride and dichlorobis(triphenylphosphine)cobalt; synthesis and physicochemical studies on two–coordinate cobalt(II) complexes. 244
Siddiqi, Z. A. Reactivity of N–(trimethylsilyl)imidazole and 2–methylimidazole; synthesis and physicochemical studies on transition metal imidazolates and mixed ligand imidazolates. 317
Singh, A. L. Mixed ligand complexes of manganese(III) with dithiocarbamate and glycine/acetylacetone ligands: magnetic, spectral and thermal studies. 351
Singh, B. Studies on 4–(2–thiazolyl)–1–(2–acetylpyridine)thiosemicarbazone complexes of some bivalent metal ions. 205
Singh, B. Studies on 2,6–diacetylpyridine 4–(2–thiazolyl)thiosemicarbazone complexes of some bivalent metal ions. 241
Singh, B. Studies on complexes of 4–(2–thiazolyl)thiosemicarbazide with some bivalent metal ions. 420
Singh, B. Studies on 2–aminobenzophenone–2–thenoylhydrazone complexes of some bivalent transition metal ions. 463
Singh, N. K. Complexes of 4–hydroxyphenylthiocarboxyhydrazide with iron(II), cobalt(II,III), nickel(II), copper(II) and zinc(II). 233
Singh, N. K. Synthesis and structural characterization of 3d–metal complexes of pyridine–4–carboxaldehyde thionicotinoylhydrazone. 346
Singh, R. Synthesis and characterization of dioxomolybdenum complexes of semicarbazones. 343
Singh, U. P. Transition metal complexes of 5–chlorouracil. 50
Sliwa, W. Iron, cobalt and nickel complexes of pyridines. 161
Smith, A. E. Solvatochromism and piezochromism of metal → ligand charge–transfer bands of ternary diimine complexes of tungsten(0), molybdenum(0), and iron(II). 107
Souza, P. Copper(II) and copper(I) complexes of benzenecarbothioamides. 384
Srivastav, A. K. Studies on 2–aminobenzophenone–2–thenoylhydrazone complexes of some bivalent transition metal ions. 463
Srivastava, P. Studies on 2–aminobenzophenone–2–thenoylhydrazone complexes of some bivalent transition metal ions. 463

Srivastava, U. Studies on 4-(2-thiazolyl)-1-(2-acetylpyridine)thiosemicarbazone complexes of some bivalent metal ions. 205
Srivastava, U. Studies on 2,6-diacetylpyridine 4-(2-thiazolyl)thiosemicarbazone complexes of some bivalent metal ions. 241
Srivastava, U. Studies on complexes of 4-(2-thiazolyl)thiosemicarbazide with some bivalent metal ions. 420
Strawiak, M. M. Chemical properties, magnetic and ESR studies of pyrazole copper(II) complexes. 81
Su, C. C. Molecular structure and bonding properties of bis(1-methylimidazole)bis(perchlorato)bis(pyridine N-oxide)copper(II). 375
Sutton, E. E. Di- and tri-nuclear osmium carbonyl chloride complexes: x-ray structures of octacarbonyldichlorodiosmium and dodecacarbonyldichlorotriosmium. 429
Szklarzewicz, J. A novel cyano complex of tungsten(IV) with 2,2'-bipyridyl. 69
Tan, S. F. Unsymmetrical bis-Schiff bases derived from ethylenediamine, dehydroacetic acid and another aldehyde/ketone and the preparation and characterization of their copper(II) and nickel(II) complexes. 64
Tandon, J. P. Synthesis and characterization of dioxomolybdenum complexes of semicarbazones 343
Tandon, J. P. Coordination behavior of azines towards iron(II), palladium(II) and platinum(II) 395
Thapa, R. K. Synthesis, characterization and structural assessment of nitrato, chloro, bromo, perchlorato, thiocyanato and sulfato mono(benzoin thiosemicarbazonato)copper(II) complexes. 212
Tripathi, R. Synthesis and structural characterization of 3d-metal complexes of pyridine-4-carboxaldehyde thionicotinoylhydrazone. 346
Tripathi, S. 4-Cyanoaniline complexes with transition metal(II) halides. 140
Upadhyay, S. K. Kinetics and mechanism of osmium(VIII)-catalyzed and uncatalyzed oxidation of amino alcohols by chloramine-T in alkaline medium. 135
Upadhyay, S. K. Kinetics and mechanism of the ruthenium(III)-catalyzed oxidation of amino alcohols by chloramine-T in perchloric acid. 179
Valderrama, M. Preparation and properties of cationic trimethyl phosphite rhodium(I) complexes with arene ligands. 25
Van den Berg, M. Metallocyclic carbene complexes of chromium(0). The crystal and molecular structure of a chromium(0) complex with an aminoarylcarbene chelating ligand. 170
Van Roekel, S. A. Synthesis and spectroscopic studies of metal(II) complexes prepared with N-2-(5-picolyl)-N'-phenylthiourea. 53
Villeneuve, G. Structure and magnetic properties of the ferromagnetically coupled nickel dimer diaquabis(isocyanato)bis(terpyridine)dinickel(2+) bis(hexafluorophosphate). 371
Vizi-Orosz, A. Catalytic transfer hydrogenation of aromatic nitro compounds in the presence of nickel thiolato-complexes. 221
Wajda-Hermanowicz, K. Carbonylrhodium complexes with pyridylphosphines: [Rh(chel)(CO)(PPh_xpyl_{3-x})]. 22
Wajda-Hermanowicz, K. Rhodium carbonyl complexes of the trans-[$RhCl(CO)(PR_3)_2$] type with pyridylphosphines. 101
Wang, S. L. Molecular structure and bonding properties of bis(1-methylimidazole)bis(perchlorato)bis(pyridine N-oxide)copper(II). 375
Watts, A. M. Metalation studies of organofunctional trisiloxanes. 303
West, D. X. Metal ion complexes of 2-picolinamine N-oxide. 29
West, D. X. Cobalt(II) complexes of the 2-aminopicoline N-oxides and 2-amino-4,6-lutidine N-oxide. 45
West, D. X. Synthesis and spectroscopic studies of metal(II) complexes prepared with N-2-(5-picolyl)-N'-phenylthiourea. 53
West, D. X. Transition metal ion complexes of thiosemicarbazones derived from 2-acetylpyridine. Part 2. The ^{4}N-dimethyl derivative. 277
West, D. X. Transition metal ion complexes of thiosemicarbazones derived from 2-acetylpyridine. Part 3. The 3-hexamethyleneimine derivative. 410
West, D. X. Transition metal ion complexes of thiosemicarbazones derived from 2-acetylpyridine. Part 4. The 3-piperidinyl derivative. 415
West, D. X. Transition metal ion complexes of thiosemicarbazones derived from 2-acetylpyridine. Part 5. The ^{4}N-cyclohexyl derivative. 467
Woollins, J. D. TMC literature highlights – 19. Complexes with sulfur-nitrogen ligands. 77
Yadava, C. L. 4-Cyanoaniline complexes with transition metal(II) halides. 140
Youssef, A. R. Structural studies of 3-amino-4-(substituted arylazo)-5-(1H)pyrazolone compounds. 253
Zaki, A. B. Ion exchangers as catalysts. I. Catalytic decomposition of hydrogen peroxide in presence of Dowex 50 W resin in the form of ethylamine-copper(II) complex ion in aqueous medium. 96
Zaki, Z. M. Synthesis and characterization of 5-(arylazo)thiobarbituric acids and their complexes. 321
Zerbinati, O. Mixed metal complexes in solution. Thermodynamic and spectrophotometric study of copper(II)-citrate heterobinuclear complexes with nickel(II), zinc(II) or cadmium(II) in aqueous solution. 87
Zhang, B. α- and β-Triferricononatungstosilicate isomers. 183
Zoroddu, M. A. Metal-cinnamic acids interactions. Part III. Synthesis and study of copper(II) complexes of 3,4- and 3,5-dimethoxycinnamic acid. 176

Keyword index

Acetamide
  hydrolysis cerium cobalt redox 388
Acetylacetonato
  manganese dithiocarbamato complex 351
Acetylpyridine
  Schirf zirconium complex 287
  selenosemicarbazone thiosemicarbazone manganese complex 92
  thiosemicarbazonato complex iron 247
  thiosemicarbazone deriv copper complex 309
  thiosemicarbazone transition metal 277
  thiosemicarbazone transition metal complex 410 415
Acetylpyridinethiosemicarbazone
  thiazolyl transition metal complex 205
Adenosine
  oxide chromium iron dimer 398
Alc
  amino oxidn chloramine ruthenium 179
Aldimine
  heterocyclic zirconium complex 287
Alkali
  metal thiosulfate oxidn platinum chloro 155
Allylbenzotriazole
  transition metal complex 328
Aluminum
  corrosion inhibition benzoin thiosemicarbazone 332
Amide
  benzenecarbothio copper complex 384
Amino
  acid deaquation nickelate aqua nitrilotriacetato 459
  acid ester glycyl valine copper 146
  acid ester hydrolysis catalyst 379
  acid peptide copper complex 238
  alc oxidn chloramine ruthenium 179
  alc oxidn chloramine T 135
Aminoarylazopyrazolone
  transition metal complex 253
Aminoarylcarbene
  chromium metallocycle 170
Aminoarylcarbenechromium
  metallocycle crystal structure 170
Aminoazaheptenone
  Schiff vanadyl complex 131
Aminodihydrothiopyrimidine
  transition metal 451
Aminolutidine
  oxide cobalt 45
Aminophenylthioethane
  transition metal 58
Aminopicoline
  oxide cobalt 45
Aminothiosulfur
  diimidato complex review 77
Ammine
  chloro cobalt aquation kinetics mechanism 201
Aniline
  Schiff zirconium complex 287
Anisaldehyde
  thiosemicarbazonate transition metal complex 187
Anisidine
  Schiff zirconium complex 287
Anthranilatodiacetato
  aqua nickelate deaquation amino acid 459
Antibacterial
  activity copper hydroxyphenylthiocarboxyhydrazide 233
  cobalt amine complex Escherichia 434
Antimicrobial
  activity transition metal benzoin thiosemicarbazonate 332
Antiviral
  activity copper hydroxyphenylthiocarboxyhydrazide 233
Aqua
  nitrilotriacetato nickelate deaquation amino acid 459
Aquation
  cobalt ammine chloro kinetics mechanism 201
  kinetics cobalt chloro complex 193
Arene
  phosphite rhodium cationic complex 25
Arsine
  molybdenum tungsten carbonyl 284
Azathiaoctane
  copper nickel 72
Azepinethiocarboxylic
  hexahydro pyridinylethylidenehydrazide copper 309
Azine
  transition metal complex 395
Azonaphthol
  pyridyl cobalt complex 447
Azopyrazolone
  transition metal complex 253
Azothiobarbiturato
  deriv complex transition metal 321
Barbiturato
  azothio transition metal 321
Benzenecarbothioamide
  copper complex 384
Benzimidazole
  quinolyl transition metal 116
  transition metal complex 423
Benzoin
  phenylthiosemicarbazonato transition metal complex 332
  thiosemicarbazone copper acido complex 212
Benzophenone
  amino thenoylhydrazone transition metal complex 463
Benzothiazole
  quinolyl transition metal 116
Benzotriazole
  allyl transition metal 328
Benzoxazole
  iron complex 426
  iron prepn Moessbauer superexchange 217
Bibenzimidazole
  transition metal complex 423
Bipyridine
  cobalt pyridylazonaphthol complex 447
  deaquation chromium hydroxo aqua kinetics 196
  oxalato copper mixed complex 455
  tungstate cyano complex 69
Bipyridyl
  substitution manganese bromo carbonyl 126
Bromo
  carbonyl manganese substitution bipyridyl phenanthroline 126
Butylammonium
  cyanomolybdate crystal polymorphism 190
Butylcatechol
  oxidn catalyst 176
Cadmium
  anisaldehyde thiosemicarbazone complex 187
  copper citrate heterobinuclear complex 87
Carbene
  chromium metallocycle 170
Carbonyl
  bromo manganese substitution bipyridyl phenanthroline 126
  chloro osmium cluster structure 429
Carbothioamide
  copper complex 384
Catalyst
  copper ethylamine resin decompn peroxide 96
  hydrolysis amino acid ester 379
  osmium silver periodato oxidn phosphite 113
  oxidn butylcatechol 176
Cationic
  arene phosphite rhodium complex 25
Cerium
  redox acetamide hydrolysis 388
Charge
  transfer manganese bipyridyl complex 126
  transfer solvatochromism piezochromism metal diimine 107
Chloramine
  oxidn amino alc ruthenium 179
  T oxidn amino alc 135
Chloro
  ammine cobalt aquation kinetics mechanism 201
  carbonyl osmium cluster structure 429
  ethylenediamine cobalt chromium racemization mechanism 160
  gold oxidn sulfite kinetics 261
  platinum oxidn thiosulfate kinetics 155
Chloroethoxo
  cobalt Lewis base adduct 219
Chlorouracilato
  transition metal complex 50
Chromate
  bromo chloro 104
Chromium
  adenosine oxide hydroxo dimer 398
  aminoarylcarbene metallocycle 170
  chloro ethylenediamine racemization mechanism 160
  EDTA aqua oxidn periodate kinetics 35
  hydroxo aqua deaquation bipyridine phenanthroline 196
  phosphonato complex 281
  3 oxidn periodate kinetics mechanism 340
Chromonecarboxaldehyde
  phenylthiosemicarbazone transition metal complex 230
Cinnamato
  dimethoxy copper complex 176
Citrate
  copper heterobinuclear complex thermodn 87
Cluster
  osmium carbonyl chloro structure 429
Cobalt
  allylbenzotriazole complex 328
  amine complex antibacterial Escherichia 434
  aminobenzophenone thenoylhydrazone complex 463
  aminopicoline aminolutidine oxide 45
  ammine chloro aquation kinetics mechanism 201
  anisaldehyde thiosemicarbazonate complex 187
  azothiobarbiturato deriv complex 321
  bibenzimidazole complex 423
  chloro ethylenediamine chromium racemization mechanism 160
  chloroethoxo Lewis base adduct 219
  chromonecarboxaldehyde thiosemicarbazone 230
  cyanoaniline halo 140
  cyclohexylpyridinylethylidenehydrazinecarbothioamide complex 467
  imidazolato complex 244
  picolinamine oxide complex 29
  picolylphenylthiourea complex 53
  pyridine deriv complex review 161
  quinolylbenzimidazole quinolylbenzothiazole 116
  redox acetamide hydrolysis 388
  salicylaldiminophenylthioethane 58
  violurato complex 250
  2 3 pyridylazonaphthol complex 447
  3 oxidn tellurium 4 kinetics 39
  3 pyridine chloro complex 193
Complexation
  iron pyridylazoresorcinolato cyanide kinetics mechanism 367
  nickel isocitric acid kinetics 443
Cond
  elec transition metal benzoin thiosemicarbazonato 332
Coordination
  compd ligand reactivity MO 19
  number 2 cobalt 2 244
Copper
  allylbenzotriazole complex 328
  amino acid peptide complex 238
  aminobenzophenone thenoylhydrazone complex 463
  anisaldehyde thiosemicarbazonate complex 187
  azothiobarbiturato deriv complex 321
  benzenecarbothioamide complex 384
  benzoin thiosemicarbazone acido complex 212
  bibenzimidazole complex 423
  bipyridine oxalato mixed complex 455
  chromonecarboxaldehyde thiosemicarbazone 230
  citrate heterobinuclear complex thermodn 87
  complex hydroazepinethiocarboxylic pyridinylethylidene hydrazide 309
  cyanoaniline halo 140
  cyclohexylpyridinylethylidenehydrazinecarbothioamide complex 467
  diazathiaoctane 72
  diethylenetriamine ternary complex stability 379
  ethylamine resin catalyst decompn peroxide 96
  glycyl valine amino acid ester 146
  histidinehydroxamic acid complex formation 297
  imidazolato complex 317
  methoxycinnamato complex 176
  methylimidazole pyridine oxide complex 375
  picolinamine oxide complex 29
  picolylphenylthiourea complex 53
  pyrazole methylpyrazole complex 81
  pyridinecarboxaldehyde thionicotinoylhydrazone 346
  quinolylbenzimidazole quinolylbenzothiazole 116
  salicylideneaminoethylamine 131
  tetraazacyclohexadecanediene kinetics dissocn acid 437
  unsym ethylenediamine Schiff complex 64
  1 phenyldimethylpyrimidinethione complex 401
Corrosion
  inhibition aluminum benzoin thiosemicarbazone 332
Crystal
  mol structure aminoarylcarbenechromium metallocycle 170
  structure copper methylimidazole complex 375
  structure copper nickel diazathiaoctane 72
  structure iron encapsulated complex 120
  structure iron methylimidazolinethione complex 356
  structure nickel terpyridine isocyanato 371
  structure osmium carbonyl chloro cluster 429
Cyanide
  complexation iron pyridylazoresorcinolato kinetics mechanism 367
  substitution manganese EDTA kinetics equil 267
Cyano
  molybdenum oxidn peroxodisulfate kinetics 150
  oxo aqua molybdenum deaquation fluoride 209
  oxo tungsten substitution pyridine thiocyanate 336
  tungstate bipyridine complex 69
Cyanoaniline
  transition metal halo 140
Cyanomolybdate
  butylammonium crystal polymorphism 190
Cyclocondensation
  cyclohexanedionedihydrazone formaldehyde iron 120

Cyclohexanedionedihydrazone
cyclocondensation formaldehyde iron 120
Cyclohexanetetraacetato
manganese redn sulfite kinetics mechanism 256
Cyclohexylpyridinylethylidenehydrazinecarbothioamide
transition metal complex 467
Deaquation
chromium hydroxo aqua bipyridine phenanthroline 196
molybdenum cyano oxo aqua fluoride 209
nickelate aqua nitrilotriacetato amino acid 459
Decompn
peroxide copper ethylamine resin catalyst 96
thermal nickel diethylenetriamine 291
Dehydroacetic
unsym Schiff ethylenediamine 64
Diacetylpyridine
thiazolylthiosemicarbazone complex transition metal 241
Diazathiaoctane
copper nickel 72
Dibenzidene
Schiff tantalum 392
Dielec
const aquation cobalt ammine chloro 201
Diethylenetriamine
copper ternary complex stability 379
nickel prepn thermal behavior 291
Dihydrogen
transition metal complex review 474
Diimine
metal charge transfer solvatochromism piezochromism 107
Dimedone
thiosemicarbazonato transition metal 143
Dissocn
kinetics acid nickel copper tetraazacyclohexadecanediene 437
Dithiocarbamato
manganese acetylacetonato glycinato complex 351
Dithiolatonickel
hydrogenation nitroarom hydrazine 221
EDTA
aqua chromium oxidn periodate kinetics 35
manganese substitution cyanide kinetics equil 267
substitution palladium iminodiacetato kinetics 361
Elec
cond transition metal benzoin thiosemicarbazona to 332
Electron
configuration nickel pyridine complex 224
Encapsulated
iron complex 120
Equil
deaquation molybdenum cyano oxo aqua 209
manganese EDTA substitution cyanide 267
redox hexaniobate cluster hydrochloric 472
Escherichia
cobalt amine complex antibacterial 434
ESR
copper complex 297
copper pyrazole methylpyrazole complex 81
Ester
amino acid hydrolysis catalyst 379
Ethoxo
chloro cobalt complex 219
Ethylamine
copper resin catalyst decompn peroxide 96
Ethylenediamine
carbonyl compd unsym Schiff 64
chloro cobalt chromium racemization mechanism 160
Explosion
rhodium phosphite perchlorate 25
Ferricosilicate
tungsto isomer 183
Ferromagnet
chromate bromo chloro 104
Ferrous
complex methanol solvation preferential 313
Fluoride
deaquation molybdenum cyano oxo aqua 209
Formaldehyde
cyclocondensation cyclohexanedionedihydrazone iron 120
Glycinato
manganese dithiocarbamato complex 351
Glycyl
valine amino acid ester copper 146
Gold
chloro oxidn sulfite kinetics 261
Hexanuclear
niobate cluster hydrochloric acid 472
Histidinehydroxamic
copper acid complex formation 297
Hydrazide
hydroxyphenylthiocarboxy spectra 233
pyridinylethylidene hydroazepinethiocarboxylic copper 309
Hydrazine
hydrogenation nitroarom dithiolatonickel 221
Hydrazinecarbothioamide
cyclohexylpyridinylethylidene transition metal complex 467
Hydrazone
thenoyl aminobenzophenone transition metal complex 463
Hydroazepinethiocarboxylic
pyridinylethylidene copper complex 309
Hydroborate
redn molybdenum tungsten kinetics 42
redn vanadium 5 kinetics mechanism 264
Hydrochloric
acid niobium 5 redn zinc 472
Hydrogen
di transition metal complex review 474
peroxide kinetics decompn resin catalyst 96
Hydrogenation
nitroarom hydrazine dithiolatonickel 221
Hydrolysis
acetamide cerium cobalt redox 388
catalyst amino acid ester 379
laser amino acid ester copper 146
Hydroxyphenylthiocarboxyhydrazide
transition metal 233
Imidazolato
cobalt complex 244
copper nickel complex 317
Imidazole
copper pyridine oxide complex 375
Imidazolinethione
iron complex 356
Iminodiacetato
palladium substitution EDTA TTHA kinetics 361
Inhibition
corrosion aluminum benzoin thiosemicarbazone 332
Ion
pair molybdenum cyano oxidn peroxodisulfate 150
IR
butylammonium cyanomolybdate polymorphism 190
near nickel pyridine complex 224
Iron
acetylpyridine thiosemicarbazonato complex 247
adenosine oxide hydroxo dimer 398
aminophenylthioethane salicylaldiminophenylthioethane 58
benzoxazole complex 426
benzoxazole prepn Moessbauer superexchange 217
cyclohexanedionedihydrazone cyclocondensation formaldehyde 120
cyclohexylpyridinylethylidenehydrazinecarbothioamide complex 467
diimine complex molal vol 313
encapsulated complex 120
imidazolinethione complex 356
organofunctional trisiloxane complex 303
phosphonato complex 281
pyridinal azine thiophenaldehyde azine 395
pyridine deriv complex review 161
pyridylazoresorcinolato complexation cyanide kinetics mechanism 367
violurato complex 250
Isocitric
acid nickel complexation kinetics 443
Isomer
tungstoferricosilicate 183
Isomerization
thermal nickel diethylenetriamine 291
Ketimine
heterocyclic zirconium complex 287
Kinetic
deaquation molybdenum cyano oxo aqua 209
Kinetics
bipyridine deaquation chromium hydroxo aqua 196
chromium EDTA aqua oxidn periodate 35
chromium 3 oxidn periodate 340
cobalt ammine chloro aquation 201
complexation nickel isocitric acid 443
deaquation nickelate nitrilotriacetato amino acid 459
decompn hydrogen peroxide resin catalyst 96
dissocn acid nickel copper tetraazacyclohexadecanediene 437
gold chloro oxidn sulfite 261
hydroborate redn molybdenum tungsten 42
hydrolysis amino acid ester copper 146
iron pyridylazoresorcinolato complexation cyanide 367
manganese cyclohexanetetraacetato redn sulfite 256
manganese EDTA substitution cyanide 267
molybdenum cyano oxidn peroxodisulfate 150
oxidn silver periodato phosphite catalyzed 113
palladium iminodiacetato substitution EDTA TTHA 361
reaction metal dihydrogen review 474
solvolysis solvent structure effect 193
tellurium 4 oxidn cobalt 3 39
thiosulfate oxidn platinum chloro 155
tungsten cyano oxo substitution 336
vanadium 5 redn hydroborate 264
Laser
hydrolysis amino acid ester copper 146
Ligand
reactivity coordination compd MO 19
sulfur nitrogen review 77
Lutidine
amino oxide cobalt 45
Magnetic
property chromate bromo chloro 104
Magnetism
nickel terpyridine isocyanato dimer 371
Manganese
acetylpyridine selenosemicarbazone thiosemicarbazone complex 92
bromo carbonyl substitution bipyridyl phenanthroline 126
cyanoaniline halo 140
cyclohexanetetraacetato redn sulfite kinetics mechanism 256
dithiocarbamato acetylacetonato glycinato complex 351
EDTA substitution cyanide kinetics equil 267
salicylaldiminophenylthioethane 58
Mechanism
cobalt ammine chloro aquation 201
manganese cyclohexanetetraacetato redn sulfite 256
twist racemization chloro ethylenediamine 160
vanadium 5 redn hydroborate 264
Mercaptosulfur
diimidato complex review 77
Metal
diimine charge transfer solvatochromism piezochromism 107
Methoxycinnamato
copper complex 176
Methylpyrazole
copper complex 81
MO
ligand reactivity coordination compd 19
Model
oxidase copper methoxycinnamato complex 176
Moessbauer
iron benzoxazole 217
iron benzoxazole complex 426
Mol
rotation butylammonium cyanomolybdate polymorphism 190
structure aminoarylcarbenechromium metallocycle 170
structure osmium carbonyl chloro cluster 429
Molal
vol iron diimine complex 313
Molybdenum
arsine phosphine stibine carbonyl 284
cyano oxidn peroxodisulfate kinetics 150
cyano oxo aqua deaquation fluoride 209
organofunctional trisiloxane complex 303
oxo semicarbazone complex 343
redn hydroborate kinetics 42
Morpholinyldithiocarboxylato
manganese acetylacetonato glycinato 351
Nickel
allylbenzotriazole complex 328
aminobenzophenone thenoylhydrazone complex 463
anisaldehyde thiosemicarbozonate complex 187
azothiobarbiturato deriv complex 321
bibenzimidazole complex 423
chromonecarboxaldehyde thiosemicarbazone 230
copper citrate heterobinuclear complex 87
cyanoaniline halo 140
cyclohexylpyridinylethylidenehydrazinecarbothioamide complex 467
diazathiaoctane 72
diethylenetriamine prepn thermal behavior 291
imidazolato complex 317
isocitric acid complexation kinetics 443
organofunctional trisiloxane complex 303
picolinamine oxide complex 29
picolylphenylthiourea complex 53
pyridine complex electron configuration 224
pyridine deriv complex review 161
pyridinecarboxaldehyde thionicotinoylhydrazone 346
quinolylbenzimidazole quinolylbenzothiazole 116
terpyridine isocyanato dimer 371
tetraazacyclohexadecanediene kinetics dissocn acid 437
toluenedithiolato hydrogenation nitroarom hydrazine 221
unsym ethylenediamine Schiff complex 64
violurato complex 250
Nickelate
aqua nitrilotriacetato deaquation amino acid 459
Niobate
hexanuclear cluster hydrochloric acid 472
Niobium
5 redn zinc hydrochloric acid 472
Nitrilotriacetato
aqua nickelate deaquation amino acid 459
Nitroarom
hydrogenation hydrazine dithiolatonickel 221
Nitrogen
sulfur ligand review 77
NMR
butylammonium cyanomolybdate polymorphism 190
Osmium
carbonyl chloro cluster structure 429
catalyst oxidn amino alc 135
catalyst silver periodato oxidn phosphite 113
Oxalato
bipyridine copper mixed complex 455
Oxidase
model copper methoxycinnamato complex 176
Oxidn
amino alc chloramine ruthenium 179
amino alc chloramine T 135
catalyst butylcatechol 176
chromium EDTA aqua periodate kinetics 35
chromium 3 periodate kinetics mechanism 340
gold chloro sulfite kinetics 261
molybdenum cyano peroxodisulfate kinetics 150
silver periodato phosphite osmium catalyst 113
tellurium 4 cobalt 3 kinetics 39
thiosulfate platinum chloro kinetics 155
Oxo
cyano aqua molybdenum deaquation fluoride 209
cyano tungsten substitution pyridine thiocyanate 336
molybdenum semicarbazone complex 343
Palladium
iminodiacetato substitution EDTA TTHA kinetics

361
organofunctional trisiloxane complex 303
pyridinal azine thiophenaldehyde azine 395
Peptide
amino acid copper complex 238
Perchlorate
explosion rhodium phosphite 25
Periodate
oxidn chromium EDTA aqua kinetics 35
oxidn chromium 3 kinetics mechanism 340
Periodato
silver oxidn phosphite osmium catalyst 113
Peroxide
decompn copper ethylamine resin catalyst 96
Peroxodisulfate
oxidn molybdenum cyano kinetics 150
Perthionitrite
complex review 77
Phase
transition nickel diethylenetriamine 291
Phenanthroline
cobalt pyridylazonaphthol complex 447
deaquation chromium hydroxo aqua kinetics 196
substitution manganese bromo carbonyl 126
Phenetidine
Schiff zirconium complex 287
Phenyldimethylpyrimidinethione
copper 1 complex 401
Phenylenediamine
Schiff tantalum 392
Phenylthiosemicarbazone
chromonecarboxaldehyde transition metal com= plex 230
Phosphine
molybdenum tungsten carbonyl 284
pyridyl rhodium carbonyl complex 101
pyridyl rhodium complex 22
Phosphite
oxidn silver periodato osmium catalyst 113
rhodium arene cationic complex 25
Phosphonato
chromium iron complex 281
Phthalato
titanium complex 272
Picolinamine
oxide transition metal complex 29
Picoline
amino oxide cobalt 45
Picolylphenylthiourea
transition metal complex 53
Piezochromism
charge transfer metal 107
Piperidinyldithiocarboxylato
manganese acetylacetonato glycinato 351
Piperidinylthiocarboxylic
hydrazide pyridylethylidene transition metal 415
Platinum
chloro oxidn thiosulfate kinetics 155
organofunctional trisiloxane complex 303
pyridinal azine thiophenaldehyde azine 395
Polymorphism
butylammonium cyanomolybdate crystal 190
Propanediamine
Schiff tantalum 392
Pyrazole
copper complex 81
Pyrazolone
aminoarylazo transition metal complex 253
Pyridinal
azine transition metal 395
Schiff zirconium complex 287
Pyridine
deriv transition metal review 161
nickel complex electron configuration 224
oxide copper methylimidazole complex 375
substitution tungsten cyano oxo 336
thiosemicarbazone transition metal complex 467
water ruthenium complex MO 19
Pyridinecarboxaldehyde
thionicotinoylhydrazone transition metal 346
Pyridinedicarboxylato
titanium complex 272
Pyridinethiosemicarbazone
thiazolylacetyl transition metal complex 205
Pyridinylethylidene
hydroazepinethiocarboxylic copper complex 309
Pyridylazonaphthol
cobalt 2 3 complex 447
Pyridylazoresorcinolato
iron complexation cyanide kinetics mechanism 367
Pyridylethylidenehydrazinecarbothioamide
transition metal complex 277
Pyridylphosphine
rhodium carbonyl complex 101
rhodium complex 22
Pyrimidinethione
copper complex 401
Quaternization
coordination analogy 19
Quinolylbenzimidazole
transition metal 116
Quinolylbenzothiazole
transition metal 116
Racemization
twist mechanism chloro ethylenediamine 160
Reactivity
ligand coordination compd MO 19
Redn
hydroborate molybdenum tungsten kinetics 42
manganese cyclohexanetetraacetato sulfite kinet= ics mechanism 256
niobium 5 zinc hydrochloric acid 472
vanadium 5 hydroborate kinetics mechanism 264
Redox
cerium cobalt hydrolysis acetamide 388
Resin
copper ethylamine catalyst decompn peroxide 96
Review
dihydrogen transition metal complex 474
solvation transition metal complex 1
sulfur nitrogen ligand 77
transition metal pyridine deriv 161
Rhodium
arene phosphite cationic complex 25
organofunctional trisiloxane complex 303
pyridylphosphine carbonyl complex 101
pyridylphosphine complex 22
Ruthenium
arom thioamide carbonyl complex 440
oxidn amino alc chloramine 179
pyridine water complex MO 19
Safety
explosion rhodium phosphite perchlorate 25
perchlorate 72
Salicylaldiminophenylthioethane
transition metal 58
Salicylato
titanium complex 272
Salicylideneaminoethylamine
copper vanadyl 131
Salt
effect molybdenum cyano oxidn peroxodisulfate 150
Schiff
aminoazaheptenone vanadyl complex 131
base tantalum chloro 392
unsym ethylenediamine carbonyl compd 64
Selenosemicarbazone
acetylpyridine manganese complex 92
Semicarbazonato
benzoin transition metal 332
Semicarbazone
molybdenum oxo complex 343
Semicond
benzoin thiosemicarbazone 332
Silicate
tungstoferrico isomer 183
Siloxane
tri transition metal complex 303
Silver
allylbenzotriazole complex 328
periodato oxidn phosphite osmium catalyst 113
Silylimidazole
reaction cobalt 2 244
reaction copper nickel compd 317
Solvation
iron encapsulated complex 120
preferential ferrous complex methanol 313
transition metal complex review 1
Solvatochromism
charge transfer metal diimine 107
Solvent
effect aquation cobalt ammine chloro 201
effect chromium complex oxidn periodate 35
structure effect solvolysis kinetics 193
Solvolysis
kinetics solvent structure effect 193
Soly
iron encapsulated complex 120
Squarato
bipyridine copper complex formation 455
Stability
const copper phenyldimethylpyrimidinethione complex 401
const transition metal diaminodihydrothiopyrimi= dine 451
Stereochem
cobalt 2 square plane 45
Stibine
molybdenum tungsten carbonyl 284
Structure
butylammonium cyanomolybdate temp 190
copper methylimidazole pyridine oxide 375
copper nickel diazathiaoctane 72
dihydrogen transition metal complex review 474
iron encapsulated complex 120
iron methylimidazolinethione complex 356
nickel terpyridine isocyanato dimer 371
osmium carbonyl chloro cluster 429
soln copper complex 297
solvent effect solvolysis kinetics 193
Substitution
arene ligand rhodium phosphite complex 25
manganese bromo carbonyl bipyridyl phenanthro= line 126
manganese EDTA cyanide kinetics equil 267
palladium iminodiacetato EDTA TTHA kinetics 361
tungsten cyano oxo pyridine thiocyanate 336
Sulfite
oxidn gold chloro kinetics 261
redn manganese cyclohexanetetraacetato kinetics mechanism 256
Sulfur
nitrogen ligand review 77
Superexchange
iron benzoxazole 217
Tantalum
Schiff base chloro 392
Tellurium
4 oxidn cobalt 3 kinetics 39
Terpyridine
nickel isocyanato dimer 371
Tetraazacyclohexadecanediene
nickel copper kinetics dissocn acid 437
Thenoylhydrazone
aminobenzophenone transition metal complex 463
Thermal
decompn nickel diethylenetriamine 291
Thermochromism
nickel diethylenetriamine 291
Thermodn
heterobinuclear complex copper citrate 87
solvation metal complex review 1
Thiadiazaoctane
copper nickel 72
Thiazolylacetylpyridinethiosemicarbazone
transition metal 205
Thiazolylthiosemicarbazide
transition metal complex 420
Thioamide
arom ruthenium carbonyl complex 440
benzenecarbo copper complex 384
cyclohexylpyridinylethylidenehydrazine transition metal complex 467
Thiobarbiturato
azo transition metal 321
Thiocyanate
substitution tungsten cyano oxo 336
Thioether
aminophenyl salicylaldiminophenyl transition metal 58
Thionicotinoylhydrazone
pyridinecarboxaldehyde transition metal 346
Thiophenaldehyde
azine transition metal 395
Thiopyrimidine
diaminodihydro transition metal 451
Thiosemicarbazide
thiazolyl transition metal complex 420
Thiosemicarbazonate
anisaldehyde transition metal complex 187
Thiosemicarbazonato
acetylpyridine iron complex 247
dimedone transition metal 143
Thiosemicarbazone
acetylpyridine deriv copper complex 309
acetylpyridine manganese complex 92
acetylpyridine transition metal 277
acetylpyridine transition metal complex 410 415
benzoin copper acido complex 212
chromonecarboxaldehyde transition metal com= plex 230
diacetylpyridinethiazolyl transition metal 241
pyridine transition metal complex 467
thiazolylacetylpyridine transition metal complex 205
Thiosulfate
oxidn platinum chloro kinetics 155
Thiourea
picolylphenyl transition metal 53
Titanium
salicylato phthalato pyridinedicarboxylato com= plex 272
Titanocene
dichloride acid reaction 272
Toluidine
Schiff zirconium complex 287
Transfer
charge solvatochromism piezochromism metal diimine 107
chem potential iron complex 120 313
Transition
metal acetylpyridine thiosemicarbazone complex 410 415
metal allylbenzotriazole complex 328
metal aminoarylazopyrazolone complex 253
metal aminobenzophenone thenoylhydrazone complex 463
metal aminophenylthioethane salicylaldiminophe= nylthioethane 58
metal anisaldehyde thiosemicarbazonate complex 187
metal azothiobarbiturato deriv complex 321
metal benzoin phenylthiosemicarbazonato complex 332
metal bibenzimidazole complex 423
metal chlorouracilato complex 50
metal chromonecarboxaldehyde phenylthiosemi= carbazone complex 230
metal complex solvation review 1
metal cyanoaniline halo 140
metal cyclohexylpyridinylethylidenehydrazinecar= bothioamide complex 467
metal diacetylpyridine thiazolylthiosemicarbazone complex 241
metal diaminodihydrothiopyrimidine complex 451
metal dihydrogen complex review 474
metal dimedone thiosemicarbazonato 143
metal hydroxyphenylthiocarboxyhydrazide 233
metal organofunctional trisiloxane complex 303
metal picolinamine oxide complex 29
metal picolylphenylthiourea complex 53
metal pyridinal azine thiophenaldehyde azine 395
metal pyridine deriv review 161
metal pyridinecarboxaldehyde thionicotinoylhy= drazone 346
metal pyridylethylidenehydrazinecarbothioamide complex 277
metal quinolylbenzimidazole quinolylbenzothia= zole 116
metal thiazolylacetylpyridinethiosemicarbazone 205
metal thiazolylthiosemicarbazide complex 420
metal violurate complex 250
Trisiloxane
organofunctional transition metal complex 303
TTHA
substitution palladium iminodiacetato kinetics 361

Tungstate
  bipyridine cyano complex 69
Tungsten
  arsine phosphine stibine carbonyl 284
  cyano oxo substitution pyridine thiocyanate 336
  redn hydroborate kinetics 42
Tungstoferricosilicate
  isomer 183
Twist
  mechanism racemization chloro ethylenediamine complex 160
Uracilato
  chloro transition metal 50
Valine
  glycyl amino acid ester copper 146
Vanadium
  5 redn hydroborate kinetics mechanism 264
Vanadyl
  aminoazaheptenone Schiff complex 131
  aminobenzophenone thenoylhydrazone complex 463
Violurate
  transition metal complex 250
Visible
  absorption nickel pyridine complex 224
  spectra copper complex 297
Water
  pyridine ruthenium complex MO 19
Zinc
  aminobenzophenone thenoylhydrazone complex 463
  copper citrate heterobinuclear complex 87
  pyridinecarboxaldehyde thionicotinoylhydrazone 346
  redn niobium 5 hydrochloric acid 472
Zirconium
  heterocyclic aldimine ketimine complex 287